AUTHOR INDEX

Akkas, N.: *see* Engin, A.E., 329
Albrektsson, T.: *see* Tjellstrom, A., 59
Allen, R.: Time series methods in the monitoring of intracranial pressure. Part 1. Problems, suggestions for a monitoring scheme and review of appropriate techniques, 5
Part 2: Comparative study and initial assessment, 103
Anderson, J., and Mitchell, R.H.: The development of monitoring techniques in mobile coronary care, 235
Aubert, A.E., Denys, B.G., Kesteloot, H. and De Geest, H. Transfer characteristics in an ink-jet writer for cardiovascular studies, 257
Baer, G.A., Jaakko, J.A. and Talonen, P.P.: A pressure curve monitor for intratracheal jet ventilation, 134
Bar, A., Ishai, G. Meretsky, P. and Koren, Y.: Adaptive microcomputer control of an artificial knee in level walking, 145
Bartoli, F. and Cerutti, S.: An optimal linear filter for the reduction of noise superimposed on the EEG signal, 274
Basseas, S.: *see* Graupe, D., 220
Belcher, R.: *see* Wickham, P.J.D., 302
Belforte, G.: *see* Molino, G., 211
Bending, J.J.: *see* Rothwell, D., 178
Bladwin, A.: *see* Hayward, R., 248
Bona, B.: *see* Molino, G., 211
Bramanti, M.: Design idea for a microwave energy coupler in biomedical field, 240
Branemark, P-I.: *see* Tjellstrom, A., 59
Browning, C., Valori, R.M., and Wingate, D.L.: Receiving, decoding and noise limiting systems for a new pressure-sensitive ingestible radic telemetric capsule, 262
Cerutti, S.: *see* Bartoli, F., 274
Challis, R.E. and Kitney, R.I.: The design of digital filters for biomedical signal processing Part 2: Design techniques using the Z-plane, 19
Part 3: The design of Butterworth and Chebychev filters, 91
Chlond, J.A. and Hitchings, D.J.: The real time processing of dynamic physiological signals, 64
Clack, F.J.: *see* Pynsent, P.B., 137
Cornillault, J.: *see* Renault, G., 243
Cotton, L.T.: *see* Law, Y.F., 185
Cravetto, C.: *see* Molino, G., 211
Dawes, G.E.: *see* Wickham, P.J.D., 302
DeGeest, H.: *see* Aubert, A.E., 257
Denyer, H.T.: *see* Jackson, K.M., 165
Denys, B.G., *see* Aubert, A.E., 257
Douek, E.E.: *see* Walliker, J.R., 316
Ead, H.: *see* Hayward, R., 248
Engin, A.E. and Akkas, N.: Etiology and biomechanics of hernial sac formation, 329
Engin, A.E., Toney, L.R. and Negulesco, J.A.: Effects of oestrogen upon tensile properties of healing fractured avian bone, 49
Engin, A.E.: *see* Moeinzadeh, M.H., 281
Fairbank, J.C.T.: *see* Pynsent, P.B., 137
Fazili, M.: Blade implants: Presurgical preparation procedures and radiographical analysis, 141
Fincham, W. and Tehrani, F.T.: On the regulation of cardiac output and cerebral blood flow, 73
Fincham, W.F. and Tehrani, F.T.: A mathematical model of the human respiratory system, 125
Fourdin, A.J.: *see* Walliker, J.R., 316
Frediani, S.: see Molino, G., 211
Fulton, T.J., Hamilton, W.A.P., Graham, J.C. and Roberts, V.C.: On-line analysis of the femoral artery flow velocity waveform and its application in the diagnosis of arterial disease, 151
Gabell, A.: *see* Nayak, U.S.L., 69
Gibson, D.G., *see* Yettram, A.L., 321
Gifford, G. and Hughes, J.: A gait analysis system in clinical practice, 297
Graham, J.C.: *see* Fulton, T.J., 151
Graupe, D., Kralj, A., Basseas, S., and Kohn, K.H.: Patient-controlled electrical stimulation via EMG signature discrimination for providing certain paraplegics with primitive walking functions, 220
Graham, J.C.,: *see* Law, Y.F., 185
Hallen, O.: *see* Tjellstrom, A., 59
Hamilton, W.A.P.: *see* Fulton, T.J., 151
Hayward, R., White, J., Ead, H., Bladwin, A., and Swanton, H.: A microcomputer based catheter laboratory system for analysis of coronary blood flow in man, 248
Heath, R.G.: *see* Sepulveda, N.G., 41
Heaton III, H.: *see* Petrofsky, J.S., 292
Hitchings, D.J.: *see* Chlond, 64
Hoenich, N.A. and Kerr, D.N.S.: Engineering design of haemodialysers, 55
Hughes, J.: *see* Gifford, G., 297
Ishai, G.: *see* Bar, A., 145
Jaakko, J.A.: *see* Baer, G.A., 134
Jackson, K.M.: Monitoring of movement with radio frequency transducers, 117
Jackson, K.M. and Denyer, H.T.: A battery powered constant current stimulator, 165
Jacobsen, P.H.: *see* Whiting, R., 31
Keen, H.: *see* Rothwell, D., 178
Kerr, D.N.S.: *see* Hoenich, N.A., 55
Kesteloot, H.: *see* Aubert, A.E., 257
Kitney, R.I.: *see* Challis, R.E., 19 and 91
Kohn, K.H.: *see* Graupe, D., 220
Koren, Y.: *see* Bar, A., 145
Kralj, A.: *see* Graupe, D., 220
Law, Y.K., Graham, J.C., Cotton, L.T. and Roberts, V.C., Per-operative haemodynamic assessment of lower limb arterial surgery. Part 1: Hydraulic impedance measurement, 185
Part 2: Modelling of the arterial system, 194
Lekven, J.,: *see* Matre, K., 110
Le Quesne, L.P.: *see* Pollard, J.P., 37
Lindstrom, J.: *see* Tjellstrom A., 59
Lord, M. and Smith, D.M.: Static response of a simple piezoelectric load cell, 162
Manson, H.J.,: *see* Russell, I.F., 227
Margineanu, D.-G.,: *see* Vais, H., 340
Matre, K. and Lekven, J.,: Measurement of cardiac pressure-length loops using an improved sonomicrometer. Accuracy and effect of respiration, 110
Maxwell, G.M. and McCrackin, H.M.,: Geometrical constraints on the rotational function of the femoral adductors in man, 253
McCrackin, H.M.,: *see* Maxwell, G.M., 253
Meretsky, P.,: *see* Bar, A., 145
Milanese, M.,: *see* Molino, G., 211
Mitchell, R.H.,: *see* Anderson, J., 235
Moeinzadeh, M.H. and Engin, A.E.,: Response of a two dimensional dynamic model of the human knee to the externally applied forces and moments, 281
Molino, G., Belforte, G., Bona, B., Frediani, S., Cravetto, C., and Milanese, M.: Qualitative and quantitative evaluation of liver diseases: functional classification, 211
Moore, B.C.J.: *see* Walliker, J.R., 316
Nayak, U.S.L., and Gabell, A.: Foot-placement analysis in the elderly – practical considerations, 69
Negulesco, J.A.: *see* Engin, A.E., 49
Parsons, J.A. (deceased): *see* Rothwell, D., 178
Petrofsky, J.S., Heaton, III, H., and Phillips, C.A.: Outdoor bicycle for exercise in paraplegics and quadriplegics, 292
Phillips, C.A.: *see* Petrofsky, J.S., 292
Phillips, H.: *see* Pynsent, P.B., 137
Pickup, J.C.: *see* Rothwell, D., 178
Pollard, J.P., Le Quesne, L.P., and Tappin, J.W.: Forces under the foot, 37
Pynsent, P.B., Fairbank, J.C.T., Clack, F.J., and Phillips, H.: Computer recording of anatomical points in three dimensional space, 137
Ramnarayan, A.S.: *see* Taylor, F.J., 201
Raynal, E.: *see* Renault, G., 243
Reddy, G.N., and Saha, S.: A variable tone burst type electromagnetic pulse generator for studying the effect of electrical stimulation on biological systems, 336
Renault, G., Reynal, E., and Cornillault, J.,: Cancelling of Fresnel reflections in *in situ*, double beam laser, using a single optical fibre, 243
Roberts, V.C., *see* Fulton, T.J., 151
Roberts, V.C.: *see* Law, Y.F., 185 and 194
Rosen, S.: *see* Walliker, J.R. 316
Ross, D.G.: *see* Russell, I.F., 227
Rothwell, D., Sutherland, I.A., Pickup, J.C., Bending, J.J., Keen, H., and the late Parsons, J.A.: A new miniature, open-loop, extra corporeal insulin infusion pump, 178
Russell, I.F., Ross, D.G., and Manson, H.J.: Fluidic cycling devices for inspiratory and expiratory timing in automatic ventilators, 227
Saha, S.: *see* Reddy, G.N., 336
Seeger, H.R. and Walker, P.E. A skill evaluator and trainer for disabled people., 349
Sepulveda, N.G., Walker, C.F. and Heath, R.G.: Finite element analysis of current pathways with implanted electrodes, 41
Smith, D.M.: *see* Lord, M., 162
Sutherland, I.A.: *see* Rothwell, D., 178
Swanton, H.: *see* Hayward, R., 248
Talonen, P.P.: *see* Baer, G.A., 134
Tappin, J.W.: *see* Pollard, J.P., 37
Taylor, F.J., Ramnarayan, A.S., and Wasserman, J.: Non-invasive aneurysm detection using digital signal processing, 201
Tehrani, F.T.: *see* Fincham, W., 73 and 125
Tjellstrom, A., Lindstrom, J., Hallen, O., Albrektsson, T., and Branemark, P-I.: Direct bone anchorage of external hearing aids, 59
Toney, L.R.: *see* Engin, A.E., 49

Vais, H., and Margineanu, D.-G.: A differential capacitive transducer for continuous recording the mass flows through epithelia by immersion weighing, 340
Valori, R.M.: *see* Browning, C., 262
Vinson, C.A., *see* Yettram, A.L., 321
Voloshin, A.S., and Wosk, J.: Shock absorption of meniscectomized and painful knee: A comparative *in vivo* study, 157
Walker, C.F.: *see* Sepulveda, N.G., 41
Walker, P.E.: *see* Seeger, H.R., 349
Walliker, J.R., Rosen, S., Douek, E.E., Fourcin, A.J., and Moore, B.C.J.: Speech signal presentation for the totally deaf, 316
Wasserman, J.: *see* Taylor, F.J., 201
White, J.,: *see* Hayward, R., 248
Whiting, R. and Jacobsen, P.H.: An evaluation of the vibrating reed method for determining the mechanical properties of materials, 31
Wickham, P.J.D., Dawes, G.S., and Belcher, R.: Development of methods for quantitative analysis of the fetal heart rate, 302
Wilkins, E.: Implantable glucose sensor, 309
Wingate, D.L.: *see* Browning, C., 262
Woodward, B.: A waveguide pulse-echo system for ultrasonic absorption measurements in biological media, 343
Wosk, J.: *see* Voloshin, A.S., 157
Yettram, A.L., Vinson, C.A., and Gison, D.G.: Effect of myocardial fibre architecture on the behaviour of the human left ventricle in diastole, 321

SUBJECT INDEX

Adaptive microcomputer control of an artificial knee in level walking, 145
Anaesthesia *see* Fluidic, 227
Anatomical points in three dimensional space. Computer recording of, 137
Arterial disease. On-line analysis of the femoral artery flow velocity waveform and its application in the diagnosis of, 151
Arterial surgery, lower limb, per-operative haemodynamic assessment of, Part 1: 185. Part 2: 194
Aneurysm detection using digital signal processing Non-invasive, 201
Battery powered constant current stimulator, 165
Bicycle, Outdoor, for exercise in paraplegics and quadriplegics, 292
Biomechanics of hernial sac formation, etiology and, 329
Blade implants: Presurgical preparation procedures and radiographical analyses, 141
Blood flow, cerebral, regulation of cardiac output and, 73
Blood flow in man, microcomputer based catheter laboratory system for analysis of coronary, 248
Blood flow *see* Haemodialysers, 55; On-line, 151; Per-operative, 185, 194
Bone, fractured avian, effects of oestrogen upon tensile properties of healing, 49
Cancelling of Fresnel reflections in *in situ*, double beam laser, using a single optic fibre, 243
Cardiac output and cerebral blood flow, regulation of, 73
Cardiac pressure-length loops using an improved sonomicrometer. Accuracy and effect of respiration. Measurement of, 110
Cardiovascular studies, transfer characteristics in an ink jet writer for, 257
Catheter laboratory system for analysis of coronary blood flow in man, a microcomputer based, 248
Cerebral blood flow, on the regulation of cardiac output and, 73
Computer recoding of anatomical points in three dimensional space, 137
Constant current stimulator. A battery powered, 165
Coronary blood flow in man, microcomputer based catheter laboratory system for analysis of, 248
Coronary care, development of monitoring techniques in mobile, 235
Current pathways, finite element analysis of, with implanted electrodes, 41
Deaf, speech signal presentation for the totally, 316
Design idea for a microwave energy coupler in biomedical field, 240
Design of digital filters for biomedical signal processing Part 2: Design techniques using the Z plane, 19; Part 3: The design of Butterworth and Chebychev filters, 91
Development of methods for quantitative analysis of the fetal heart rate, 302
Development of monitoring techniques in mobile coronary care, 235
Differential capacitive transducer for continuous recording the mass flow through epithelia by immersion weighing, 340
Digital filters for biomedical signal processing, design of, Part 2:, 19; Part 3: 91
Direct bone anchorage of external hearing aids, 59
Disabled people, skill evaluation and trainer for, 349
EEG signal, optimal linear filter for the reduction of noise superimposed on the, 274
Effect of density of the cancellous core, fracture of the human femoral neck, 000
Effect of myocardial fibre architecture on the behaviour of the human left ventricle in diastole, 321
Effects of oestrogen upon tensile properties of healing fractured avian bone, 49
Elderly, foot-placement analysis in the, practical considerations, 69
Electrical stimulation on biological systems, variable tone burst electromagnetic, 336
Electrical stimulation, patient-controlled, via EMG signature discrimination for providing certain paraplegics with primitive walking functions, 220
Electrode *see* Finite element, 41
EMG signature discrimination, patient controlled electrical stimulation via, for providing certain paraplegics with primitive walking functions, 220
Energy coupler, microwave, in biomedical field, design idea for a, 240
Engineering design of haemodialysers, 55
Epithelia, differential capacitive transducer for continuous recording the mass flows through, by immersion weighing, 340
Etiology and biomechanics of hernial sac formation, 329
Evaluation of the vibrating reed method for determining the mechanical properties of materials, 31
Femoral artery flow velocity waveform and its application of the diagnosis of arterial disease. On-line analysis of the, 151
Femoral adductors in man, geometrical constraints on the rotational function of the, 253
Fetal heart rate, development of methods for quantitative analysis of the, 302
Filter, optimal linear, for the reduction of noises superimposed on the EEG signal, 274
Finite element analysis of current pathways with implanted electrodes, 41
Flow *see* Blood flow
Flow velocity waveform and its application in the diagnosis of arterial disease. On-line analysis of the femoral artery, 151
Fluidic cycling devices for inspiratory and expiratory timing in automatic ventilators, 227
Foot, forces under the, 37
Foot-placement analysis in the elderly – practical considerations, 69
Forces under the foot, 37
Fresnel reflections in *in situ*, double beam laser, using a single optical fibre, cancelling of, 243
Gait analysis system in clinical practice, 000
Gait analysis *see* Foot placement, 69
Geometrical constraints on the rotational function of the femoral adductors in man, 253
Glucose sensor, implantable, 309
Haemodialysers, engineering design of, 55
Haemodynamic assessment of lower limb arterial surgery, per-operative, Part 1: 185; Part 2: 194
Hearing aids, external, direct bone anchorage of, 59
Hernial sac formation, etiology and biomechanics of, 329
Hydraulic impedance measurement, Part 1 of per-operative haemodynamic assessment of lower limb arterial surgery, 185
Implant *see* Direct bone, 59. Blade, 141
Implantable glucose sensor, 309
Implanted electrodes, finite element analysis of current pathways with, 41
Insulin infusion pump, a new miniature, open-loop, extra corporeal, 178
Intracranial pressure, time series methods in the monitoring of, Part 1: 5; Part 2: 103
Intratracheal jet ventilation, a pressure curve monitor for, 134
Knee, artificial, adaptive microcomputer control of an, in level walking, 145
Knee, response of a two dimensional dynamic model of the human, to the externally applied forces and moments, 145
Knees: A comparative *in vivo* study. Shock absorption of meniscectomized and painful, 157
Laser, cancelling of Fresnel reflections in *in situ*, double beam, using a single optical fibre, 243
Left ventricle in diastole, the behaviour of the human, effect of, 321
Liver diseases, qualitative and quantitative evaluation of, functional classification, 211
Mathematical model of the human respiratory system, 125
Measurement of cardiac pressure length loops using an improved sonomicrometer.

accuracy and effect of respiration, 110
Mechanical properties of materials, evalation of the vibrating reed method for determining, 31
Meniscectomized and painful knees: A comparative *in vivo* study. Shock absorption of, 157
Microcomputer based catheter laboratory system for analysis of coronary blood flow in man, 248
Microcomputer control, adaptive, of an artificial knee in level walking, 145
Microwave energy coupler in biomedical field, design idea for a, 240
Model of the human knee, response of a two dimensional dynamic, to the externally applied forces and moments, 145
Modelling of the arterial system, Part 2 of per-operative haemodynamic assessment of lower limb arterial surgery, 194
Monitoring of intracranial pressure, time series methods in the, Part 1: 5; Part 2: 103
Monitoring of movement with radio frequency transducers, 117
Monitoring techniques in mobile coronary care, development of, 235
Myocardial fibre architecture, effect of, on the behaviour of the human left ventricle in diastole, 321
New miniature open-loop extra corporeal insulin infusion pump, 178
Non-invasive aneurysm detection using digital processing, 201
Oestrogen, effects of, upon tensile properties of healing fractured avian bone, 49
On-line analysis of the femoral artery low velocity waveform and its application in the diagnosis of arterial disease, 151
On the regulation of cardiac output and cerebral blood flow, 73
Optical fibre, cancelling of Fresnal reflections in *in situ*, double beam laser, using a single, 243
Optimal linear filter for the reduction of noise superimposed on the EEG signal, 274
Outdoor bicycle for exercise in paraplegics and quadriplegics, 292
Paraplegics and quadriplegics, outdoor bicycle for exercise in, 292
Paraplegics with primitive walking functions, patient controlled electrical stimulation via EMG signature discrimination for providing certain, 220
Patient monitoring *see* Time series, 5, 103; Non-invasive, 201; development, 235
Per-operative haemodynamic assessment of lower limb arterial surgery. Part 1: Hydraulic impedance measurement, 185 Part 2: Modelling of the arterial system, 194
Piezoelectric load cell, static response of a simple, 162
Pressure curve monitor for intratracheal jet ventilation, 134
Pressure-sensitive ingestible radio telemetric capsule, receiving, decoding and noise limiting systems for a new, 262
Presurgical preparation procedures and radiographical analyses. Blade implants, 141
Prosthesis *see* Direct bone, 59
Pulse generator, variable tone burst type electromagnetic, for studying the effect of electrical stimulation on biological systems, 336
Pump, a new miniature, open-loop, extra corporeal insulin infusion, 178
Qualitative and quantitative evaluation of liver diseases functional classification, 211
Radiographical analyses. Blade implants: Presurgical preparation procedures and, 141
Radio telemetric capsule, receiving, decoding and noise limiting systems for a new pressure-sensitive ingestible, 262
Real time processing of dynamic physiological signals, 64
Receiving, decoding and noise limiting systems for a new pressure-sensitive ingestible telemetric capsule, 262
Regulation of cardiac output and cerebral blood flow, 73
Respiratory system, human, a mathematical model of the, 125
Response of a two dimensional dynamic model of the human knee to the externally applied forces and moments, 145
Shock absorption of meniscectomized and painful knees: A comparative *in vivo* study, 157
Signal processing, biomedical, design of digital filters for, Part 2: 19; Part 3: 91
Signal processing, non-invasive aneurysm detection using, 201
Signal processing *see* Real-time, 64
Signals, dynamic physiological, real time processing, 64
Skill evaluator and trainer for disabled people, 349
Sonomicrometer, accuracy and effect of respiration, measurement of cardiac pressure-length loops using an improved 110
Speech signal presentation for the totally deaf, 316
Static response of a simple piezoelectric load cell, 162
Time series methods in the monitoring of intracranial pressure. Part 1: Problems suggestions for a monitoring scheme and review of appropriate techniques, 5 Part 2: Comparative study in initial assessment, 103
Timing in automatic ventilators, fluidic cycling devices for inspiratory and expiratory, 227
Transducer, differential capacitive, for continuous recording the mass flows through epithelia by immersion weighing, 340
Transfer characteristics in an ink-jet writer for cardiovascular studies, 257
Transducers, radio frequency, monitoring of movement with, 117
Ultrasonic absorption measurements in biological media, a waveguide pulse-echo system for, 343
Variable tone burst type electromagnetic pulse generator for studying the effect of electrical stimulation on biological systems, 336
Ventilators, fluidic cycling devices for inspiratory and expiratory timing in automatic, 227
Vibrating reed method for determining the mechanical properties of materials, evaluation of the, 31
Wave-guide pulse-echo system for ultrasonic absorption measurements in biological media, 343